



## Sources of new beta cells:


Beta cells from hESCs/iPS cells
Regeneration of beta cells
Transdifferentiation of beta cells


Beta cell developmental biology


Stem cells to model diabetes































#### **Endocrine cell differentiation/maturation**



#### Questions

- How do we define delamination?
- 2. What controls delamination?
- 3. is delamination required for beta cell differentiation/maturation?




Cell

### Cdc42-Mediated Tubulogenesis Controls Cell Specification

Gokul Kesavun, <sup>1</sup> Fredrik Wolfhagen Sand, <sup>1</sup> Thomas Uwe Greiner, <sup>1</sup> Jenny Kristina Johansson, <sup>1</sup> Sune Kobberup, <sup>1</sup> Sumer Why, <sup>1</sup> Cord Braketusch, <sup>1</sup> and Hernik Semin, <sup>1</sup> Semin Germann Seminar Semin

INDUCED PLURIPOTENT STEM CELLS – IN CELL THERAPY AND DISEASE MODELING



# Generation of pluripotent stem cells from patients with type 1 diabetes

and Douglas A. Melton<sup>3,1</sup>

\*Department of Stem Cell and Regenerative Biology, Howard Hughes Medical Institute, Harvard Stem Cell Institute, Harvard University, 7 Divinity Avenue Cambridge, MA Q128; and "Department of Pathology and Cell Biology, and "Division of Molecular Genetics and Naomi Barrie Diabetes Center, College of Physicians and Surgeons, Columbia University, New York, NY 10022

Contributed by Douglas A. Melton, July 8, 2009 (sent for review May 18, 2009)

